

## ATEX Flexible Metal Conduit

### ATEX Flexible Metal Conduit

**Description:**

Especially recommending the ATEX Flexible Metal Conduit for the wiring protection of equipments & system that used in

potentially explosive environment (offshore platforms, petrochemical plant, mine, flour mill and other places where the explosive gas exists.)

Application: It is applied on electrical and non-electrical equipment, machinery and industry devices in all potentially explosive environment as well as the control devices and equipments in non-explosive environment to secure the safety of equipment and instrument or maintain the normal operation of the system.

**Parameter:**

Structure: interlock

Material: 316 Stainless Steel

Surface Finish: White PVC Coating

Type	Inch	I.D.(mm)	O.D.(mm)	O.D.+PVC(mm)	Packing(m/roll)
P040070C2K1	-	4.0	6.0	7.0	100
P046080C2K1	-	4.6	6.6	8.0	100
P050080C2K1	-	5.0	7.0	8.0	100
P054095C2K1	-	5.4	7.8	9.5	100
P059100C2K1	-	5.9	8.4	10.0	100
P066100C2K1	-	6.6	9.0	10.0	100
P095150C2P1	1/4	9.5	12.5	15.0	100
P100150C2P1	-	10.0	12.5	15.0	100
P125177C2P1	3/8	12.5	15.7	17.7	100
P161213C2P1	1/2	16.1	19.5	21.3	100